

Radio Test Report

Report No.: AGC11805240901ER03

PRODUCT DESIGNATION : ATOM 2

BRAND NAME : Potensic

MODEL NAME : DSDR23A, DSDR23B, DSDR23C, DSDR23D

APPLICANT : Shenzhen Potensic Intelligent Co., Ltd.

DATE OF ISSUE : Jan. 22, 2025

STANDARD(S) : ETSI EN 300 328 V2.2.2 (2019-07)

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Jan. 22, 2025	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of Contents

1. General Information	4
2. Product Information	5
2.1 Product Technical Description	5
2.2 Test Frequency List	6
2.3 Objective	7
2.4 Test Items and The Results	7
2.5 Description of Test Modes	8
3. Setup of Equipment Under Test	9
3.1 Setup Configuration of EUT	9
3.2 Support Equipment	9
4. Test Environment	10
4.1 Address of The Test Laboratory	10
4.2 Test Facility	10
4.3 Environmental Conditions	11
4.4 Measurement Uncertainty	11
4.5 List of Equipment Used	12
5. ETSI EN 300 328 Requirements for Transmitter	14
5.1 RF Output Power	14
5.2 Power Spectral Density	25
5.3 Occupied Channel Bandwidth	30
5.4 Adaptivity(non-FHSS)	35
5.5 Transmitter Unwanted Emissions in the Out-of-Band Domain	41
5.6 Transmitter Unwanted Emissions in the Spurious Domain	49
6. ETSI EN 300 328 Requirements for Receiver	58
6.1 Receiver Unwanted Emissions in the Spurious Domain	58
6.2 Receiver Blocking	67
Appendix I: Photographs of Test Setup	71
Appendix II: Photographs of Test EUT	73

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

1. General Information

Applicant	Shenzhen Potensic Intelligent Co., Ltd.
Address	Room 1901, Jinqizhigu Building, Tangling Road, Nanshan District, Shenzhen, China
Manufacturer	Shenzhen Potensic Intelligent Co., Ltd.
Address	Room 1901, Jinqizhigu Building, Tangling Road, Nanshan District, Shenzhen, China
Factory	Shenzhen Potensic Intelligent Co., Ltd.
Address	Room 1901, Jinqizhigu Building, Tangling Road, Nanshan District, Shenzhen, China
Product Designation	ATOM 2
Brand Name	Potensic
Test Model	DSDR23A
Series Model(s)	DSDR23B, DSDR23C, DSDR23D
Difference Description	All the same except the model name.
Date of receipt of test item	Sep. 19, 2024
Date of Test	Sep. 19, 2024~Jan. 22, 2025
Deviation from Standard	No any deviation from the test method
Condition of Test Sample	Normal
Test Result	Pass
Test Report Form No	AGCER-EU-2.4G WLAN-V1

Note: The test results of this report relate only to the tested sample identified in this report.

Prepared By		
	Bibo Zhang (Project Engineer)	Jan. 22, 2025
Reviewed By		
	Calvin Liu (Reviewer)	Jan. 22, 2025
Approved By		
	Angela Li (Authorized Officer)	Jan. 22, 2025

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2. Product Information

2.1 Product Technical Description

Equipment Type	non-FHSS adaptive equipment		
Supported Technologies	2.4G Wireless Local Area Network (IEEE 802.11_Wi-Fi)		
Operation Frequency Range	2.4G ISM band (2412MHz-2472MHz)		
Hardware Version	V06		
Software Version	V4.2.4		
Supported Mode	☒ 802.11b	☒ 802.11g	☒ 802.11n (HT20)
	☐ 802.11n (HT40)	☐ 802.11ax (HE20)	☐ 802.11ax (HE40)
Modulation Type	802.11b: (DQPSK, DBPSK, CCK) DSSS 802.11g/n: (64-QAM, 16-QAM, QPSK, BPSK) OFDM		
Data Rate	802.11b: 1/2/5.5/11Mbps 802.11g: 6/9/12/18/24/36/48/54Mbps 802.11n: up to 300Mbps		
Number of Channels	13 Channels		
Maximum RF Output Power	17.55dBm (802.11b of E.I.R.P)		
Antenna Designation	☒ PIFA Antenna (Temporary RF connector provided by manufacturer)		
	☐ Dedicated Antenna		
Antenna Gain	2.09dBi		
Receiver Category	☒ Category 1 ☐ Category 2 ☐ Category 3		
Power Supply	DC 7.7V by battery		
Geo-location capability	☐ Yes ☒ No		
Extreme Operating Conditions	Lowest temperature range (LT): 0°C		
	Normal temperature range (NT): 25°C		
	Highest temperature range (HT): 40°C		

Note:

1. The above information was declared by the manufacturer.
2. The equipment submitted are representative production models.
3. For more details, please refer to the User's manual of the EUT.

2.2 Test Frequency List

■ For 2412-2472MHz:

13 channels are provided for 802.11b/g/n(HT20):

Channel	Frequency	Channel	Frequency	Channel	Frequency
01	2412 MHz	02	2417 MHz	03	2422 MHz
04	2427 MHz	05	2432 MHz	06	2437 MHz
07	2442 MHz	08	2447 MHz	09	2452 MHz
10	2457 MHz	11	2462 MHz	12	2467 MHz
13	2472 MHz	/	/	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2.3 Objective

Perform Radio Spectrum tests for CE Marking according to the provisions of article 3.2 of the Radio Equipment Directive (2014/53/EU) for the WLAN function of the EUT.

2.4 Test Items and The Results

The tests were performed according to following standards:

ETSI EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonized Standard for access to radio spectrum
-------------------------------------	--

ETSI EN 300 328 test items and the results are as bellow:

No.	Test Item	Standard Require	Result
Transmitter Requirement			
1	RF Output Power	sub-clause 4.3.2.2	Pass
2	Power Spectral Density	sub-clause 4.3.2.3	Pass
3	Duty Cycle, Tx-sequence, Tx-gap	sub-clause 4.3.2.4	N/A (See Note1,2)
4	Medium Utilisation (MU) Factor	sub-clause 4.3.2.5	N/A (See Note1,2)
5	Adaptivity(non-FHSS)	sub-clause 4.3.2.6	Pass
6	Occupied Channel Bandwidth	sub-clause 4.3.2.7	Pass
7	Transmitter Unwanted Emissions in the Out-of-Band Domain	sub-clause 4.3.2.8	Pass
8	Transmitter Unwanted Emissions in the Spurious Domain	sub-clause 4.3.2.9	Pass
Receiver Requirement			
9	Receiver Spurious Emissions	sub-clause 4.3.2.10	Pass
10	Receiver Blocking	sub-clause 4.3.2.11	Pass

Note:

1. "N/A" means not applicable.
2. This device is a non-FHSS adaptive device and is not applicable to this test item.

2.5 Description of Test Modes

Test Mode	Description
11b_TX_2412_1Mbps	802.11b Transmitting mode (Channel: 2412, Rate: 1Mbps)
11b_TX_2442_1Mbps	802.11b Transmitting mode (Channel: 2442, Rate: 1Mbps)
11b_TX_2472_1Mbps	802.11b Transmitting mode (Channel: 2472, Rate: 1Mbps)
11g_TX_2412_6Mbps	802.11g Transmitting mode (Channel: 2412, Rate: 6Mbps)
11g_TX_2442_6Mbps	802.11g Transmitting mode (Channel: 2442, Rate: 6Mbps)
11g_TX_2472_6Mbps	802.11g Transmitting mode (Channel: 2472, Rate: 6Mbps)
11n20_TX_2412_MCS0	802.11n20 Transmitting mode (Channel: 2412, Rate: MCS0)
11n20_TX_2442_MCS0	802.11n20 Transmitting mode (Channel: 2442, Rate: MCS0)
11n20_TX_2472_MCS0	802.11n20 Transmitting mode (Channel: 2472, Rate: MCS0)
11b_RX_2412_1Mbps	802.11b Receiving mode (Channel: 2412, Rate: 1Mbps)
11b_RX_2472_1Mbps	802.11b Receiving mode (Channel: 2472, Rate: 1Mbps)
11g_RX_2412_6Mbps	802.11g Receiving mode (Channel: 2412, Rate: 6Mbps)
11g_RX_2472_6Mbps	802.11g Receiving mode (Channel: 2472, Rate: 6Mbps)
11n20_RX_2412_MCS0	802.11n20 Receiving mode (Channel: 2412, Rate: MCS0)
11n20_RX_2472_MCS0	802.11n20 Receiving mode (Channel: 2472, Rate: MCS0)
Note: All modes have been tested and the worst mode test data recording in the test report, if no any other data.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3. Setup of Equipment Under Test

3.1 Setup Configuration of EUT

See test photographs attached in Appendix I for the actual connections between EUT and support equipment.

3.2 Support Equipment

The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application.

The following peripheral devices and interface cables were connected during the measurement:

Whether support unit is used?				
☐ Yes ☒ No				
Item	Equipment	Trade Name	Model No.	Specification
1	--	--	--	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

4. Test Environment

4.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

4.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842(CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

4.3 Environmental Conditions

	Normal Conditions
Temperature range (°C)	15 - 35
Relative humidity range	45 % - 85 %
Pressure range (kPa)	86 - 106

4.4 Measurement Uncertainty

The uncertainty is calculated using the methods suggested in the “Guide to the Expression of Uncertainty in Measurement” (GUM) published by ISO.

Test Item	Measurement Uncertainty
Uncertainty of Radio Frequency	$U_c = \pm 1 \times 10^{-7}$
Uncertainty of total RF power, conducted	$U_c = \pm 0.8 \text{ dB}$
Uncertainty of RF power density, conducted	$U_c = \pm 2.6 \text{ dB}$
Uncertainty of Occupied Channel Bandwidth	$U_c = \pm 2 \%$
Uncertainty of spurious emissions, conducted	$U_c = \pm 2.7 \text{ dB}$
Uncertainty of spurious emissions, radiated	$U_c = \pm 5.4 \text{ dB}$
Uncertainty of Temperature	$U_c = 0.5^\circ \text{ C}$
Uncertainty of Humidity	$U_c = \pm 1 \%$
Uncertainty of DC and low frequency voltages	$U_c = \pm 2 \%$

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4.5 List of Equipment Used

● RF Conducted Test System							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-ER-E036	Spectrum Analyzer	Agilent	N9020A	MY49100060	2024-02-01	2025-01-31
☐	AGC-ER-E041	Spectrum Analyzer	Agilent	N9020A	W1312-60196	2024-05-24	2025-05-23
☐	AGC-ER-E061	Spectrum Analyzer	Agilent	N9020A	MY52090123	2024-05-24	2025-05-23
☒	AGC-ER-E062	Power Sensor	Agilent	U2021XA	MY54110007	2024-02-01	2025-01-31
☐	AGC-ER-E063	Power Sensor	Agilent	U2021XA	MY54110009	2024-02-01	2025-01-31
☐	AGC-ER-E027	Power Sensor	Agilent	U2021XA	MY5411000B	2024-02-01	2025-01-31
☒	AGC-EM-A152	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	2023-06-09	2025-06-08
☒	AGC-ER-E079	Wireless Connectivity Tester	R&S	CMW270	101933	2024-05-24	2025-05-23
☒	AGC-ER-E075	Small Environmental Tester	SH-242	ESPEC	93008290	2024-07-24	2026-07-23
☒	AGC-ER-E059	Signal Generator	Agilent	N5182B	MY53050647	2024-02-01	2025-01-31
☒	AGC-ER-E060	Signal Generator	Agilent	N5171B	MY53050474	2024-05-28	2025-05-27
☒	AGC-ER-E083	Signal Generator	Agilent	E4421B	US39340815	2024-05-28	2025-05-27
☒	--	RF Connection Cable	N/A	1#	N/A	Each time	N/A
☒	--	RF Connection Cable	N/A	2#	N/A	Each time	N/A

● Radiated Spurious Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☐	AGC-EM-E046	EMI Test Receiver	R&S	ESCI	10096	2024-02-01	2025-01-31
☒	AGC-EM-E116	EMI Test Receiver	R&S	ESCI	100034	2024-05-24	2025-05-23
☒	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2024-05-28	2025-05-27
☒	AGC-EM-E001	Wideband Antenna	SCHWARZBECK	VULB9168	D69250	2023-05-11	2025-05-10
☒	AGC-EM-E005	Wideband Antenna	SCHWARZBECK	VULB9168	VULB9168-494	2023-01-05	2025-01-04
☒	AGC-EM-E029	Broadband Ridged Horn Antenna	ETS	3117	00034609	2023-03-31	2025-03-30
☒	AGC-EM-E102	Broadband Ridged Horn Antenna	ETS	3117	00154520	2023-06-03	2025-06-02
☐	AGC-EM-E082	Horn Antenna	SCHWARZBECK	BBHA 9170	#768	2023-09-24	2025-09-23
☒	AGC-EM-E146	Pre-amplifier	ETS	3117-PA	00246148	2024-07-24	2026-07-23
☒	AGC-EM-A119	2.4G Filter	SongYi	N/A	N/A	2024-05-23	2025-05-22
☒	AGC-EM-A138	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	2023-06-09	2025-06-08

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

● Test Software					
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Version Information
☒	AGC-EM-S011	RSE Test System	Tonscend	TS+-Ver2.1(JS36-RSE)	4.0.0.0
☒	AGC-ER-S012	BT/WIFI Test System	Tonscend	JS1120-2	2.6
☐	AGC-ER-S009	BT/WIFI Test System	Tonscend	JS1120-3	2.6.77.0518

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

5. ETSI EN 300 328 Requirements for Transmitter


5.1 RF Output Power

The RF output power is defined as the mean equivalent isotropic radiated power (e.i.r.p.) of the equipment during a transmission burst.

Test Limit

RF Output Power $\leq$ 100mW (20dBm) over Normal and Extreme conditions.

Test Setup



Test Procedure

- 1) Use a fast power sensor and set the samples speed 1MS/s or faster.
- 2) Connect one power sensor to each transmit port, Trigger the power sensors so that they start sampling at the same time. For each instant in time, sum the power of the individual samples of all ports and store them. Use these stored samples in all following steps.
- 3) Find the start and stop times of each burst in the stored measurement samples.
- 4) Between the start and stop times of each individual burst calculate the RMS power over the burst. Save these P burst values, as well as the start and stop times for each burst.
- 5) The highest of all P burst values (Value "A" in dBm) will be used for maximum e.i.r.p calculations.
- 6) The cable loss factor shall be considered to the value "A".
- 7) Add the (stated) antenna assembly gain "G" in dBi of the individual antenna. If applicable, add the additional beamforming gain "Y" in dB.
- 8) The RF output power (P) shall be calculated using the formula: $P=A+G+Y$

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23


Test Data of RF Output Power					
Test Mode	RF Output Power [dBm]			Limit [dBm]	Verdict
	NT	LT	HT		
11b_TX_2412_1Mbps	17.55	17.05	17.02	20	Pass
11b_TX_2442_1Mbps	15.14	15.13	15.14	20	Pass
11b_TX_2472_1Mbps	14.62	14.64	14.63	20	Pass
11g_TX_2412_6Mbps	14.67	15.00	14.67	20	Pass
11g_TX_2442_6Mbps	13.76	14.37	13.94	20	Pass
11g_TX_2472_6Mbps	13.47	12.56	13.03	20	Pass
11n20_TX_2412_MCS0	15.66	15.29	14.99	20	Pass
11n20_TX_2442_MCS0	14.03	13.76	14.16	20	Pass
11n20_TX_2472_MCS0	12.82	12.99	12.74	20	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Graphs of RF Output Power



Test_Graph_11b_TX_ANT1_2412_1Mbps_Power_HT



Test_Graph_11b_TX_ANT1_2412_1Mbps_Power_LT




Test_Graph_11b_TX_ANT1_2412_1Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11b_TX_ANT1_2442_1Mbps_Power_HT



Test_Graph_11b_TX_ANT1_2442_1Mbps_Power_LT




Test_Graph_11b_TX_ANT1_2442_1Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test_Graph_11b_TX_ANT1_2472_1Mbps_Power_HT



Test_Graph_11b_TX_ANT1_2472_1Mbps_Power_LT




Test_Graph_11b_TX_ANT1_2472_1Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test_Graph_11g_TX_ANT1_2412_6Mbps_Power_HT



Test_Graph_11g_TX_ANT1_2412_6Mbps_Power_LT




Test_Graph_11g_TX_ANT1_2412_6Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11g_TX_ANT1_2442_6Mbps_Power_HT



Test_Graph_11g_TX_ANT1_2442_6Mbps_Power_LT




Test_Graph_11g_TX_ANT1_2442_6Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11g_TX_ANT1_2472_6Mbps_Power_HT



Test_Graph_11g_TX_ANT1_2472_6Mbps_Power_LT




Test_Graph_11g_TX_ANT1_2472_6Mbps_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11n20_TX_ANT1_2412_MCS0_Power_HT



Test_Graph_11n20_TX_ANT1_2412_MCS0_Power_LT




Test_Graph_11n20_TX_ANT1_2412_MCS0_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11n20_TX_ANT1_2442_MCS0_Power_HT



Test_Graph_11n20_TX_ANT1_2442_MCS0_Power_LT




Test_Graph_11n20_TX_ANT1_2442_MCS0_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11n20_TX_ANT1_2472_MCS0_Power_HT



Test_Graph_11n20_TX_ANT1_2472_MCS0_Power_LT



Test_Graph_11n20_TX_ANT1_2472_MCS0_Power_NT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


5.2 Power Spectral Density

The Power Spectral Density (PSD) is the mean equivalent isotropic radiated power (e.i.r.p.) spectral density in a 1 MHz bandwidth during a transmission burst.

Test Limit

The maximum Power Spectral Density for non-FHSS equipment is 10 dBm per MHz.

Test Setup



Remarks:

EUT was direct connected to test equipment through coupling device.

Test Procedure

- 1) Set the frequency from 2400MHz to 2483.5MHz, use 10kHz RBW and 30kHz VBW for pre-scan. The number of sweep points shall be more than 8350. Wait for the trace to be completed and save the (trace) data set to a file.
- 2) Add up the values for amplitude (power) for all the samples in the file.
- 3) Normalize the individual values for amplitude so that the sum is equal to the RF Output Power (e.i.r.p) measured in 5.1.
- 4) Starting from the first sample in the file (lowest frequency), add up the power of the following samples representing a 1MHz segment and record the results for power and position (i.e. sample #1 to #100). This is the Power Spectral Density (e.i.r.p) for the first 1MHz segment which shall be recorded.
- 5) Shift the start point of the samples added up in step 5 by 1 sample and repeat the procedure in step 4(i.e. sample #2 to #101).
- 6) Repeat step 5 until the end of the data set and record the radiated power spectral Density values for each of the 1MHz segments.
- 7) The cable loss factor shall be considered to the test result.
- 8) The highest value shall be recorded in the test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23


Test Data of Power Spectral Density			
Test Mode	Power Spectral Density [dBm/MHz]	Limit [dBm/MHz]	Verdict
11b_TX_2412_1Mbps	8.52	10	Pass
11b_TX_2442_1Mbps	6.14	10	Pass
11b_TX_2472_1Mbps	5.60	10	Pass
11g_TX_2412_6Mbps	3.31	10	Pass
11g_TX_2442_6Mbps	2.46	10	Pass
11g_TX_2472_6Mbps	2.08	10	Pass
11n20_TX_2412_MCS0	3.98	10	Pass
11n20_TX_2442_MCS0	2.45	10	Pass
11n20_TX_2472_MCS0	1.40	10	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Graphs of Power Spectral Density



Test_Graph_11b_TX_ANT1_2412_1Mbps_PSD



Test_Graph_11b_TX_ANT1_2442_1Mbps_PSD




Test_Graph_11b_TX_ANT1_2472_1Mbps_PSD

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test_Graph_11g_TX_ANT1_2412_6Mbps_PSD



Test_Graph_11g_TX_ANT1_2442_6Mbps_PSD




Test_Graph_11g_TX_ANT1_2472_6Mbps_PSD

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test_Graph_11n20_TX_ANT1_2412_MCS0_PSD



Test_Graph_11n20_TX_ANT1_2442_MCS0_PSD



Test_Graph_11n20_TX_ANT1_2472_MCS0_PSD

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


5.3 Occupied Channel Bandwidth

The Occupied Channel Bandwidth is the bandwidth that contains 99 % of the power of the signal.

Test Limit

The Occupied Channel Bandwidth shall fall completely within the band 2400MHz to 2483.5MHz.

Test Setup



Remarks:

EUT was direct connected to test equipment through coupling device.

Test Procedure

- 1) The spectrum analyser shall be used the following settings:
- 2) Centre Frequency: The centre frequency of the channel under test
 - Resolution BW: ~1% of the span without going below 1%
 - Video BW: 3×RBW
 - Span: 2×OBW
 - Detector: RMS
 - Trace mode: Max Hold
- 3) Wait until the trace is completed, find the peak value of the trace and place the analyser marker on this peak.
- 4) Use the 99 % bandwidth function of the spectrum analyser to measure the Occupied Channel Bandwidth of the UUT. This value shall be recorded.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23


Test Data of Occupied Channel Bandwidth					
Test Mode	Occupied Channel Bandwidth [MHz]			Limit [MHz]	Verdict
	OCB	FL	FH		
11b_TX_2412_1Mbps	15.126	2404.429	2419.555	2400 to 2483.5	Pass
11b_TX_2472_1Mbps	14.841	2464.650	2479.491	2400 to 2483.5	Pass
11g_TX_2412_6Mbps	16.584	2403.723	2420.307	2400 to 2483.5	Pass
11g_TX_2472_6Mbps	16.381	2463.827	2480.208	2400 to 2483.5	Pass
11n20_TX_2412_MCS0	17.720	2403.155	2420.875	2400 to 2483.5	Pass
11n20_TX_2472_MCS0	17.398	2463.326	2480.724	2400 to 2483.5	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Occupied Channel Bandwidth



Test Graph 11b TX ANT1 2412 1Mbps OBW



Test_Graph_11b_TX_ANT1_2472_1Mbps_OBW

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test Graph 11g TX ANT1 2412 6Mbps OBW




Test_Graph_11g_TX_ANT1_2472_6Mbps_OBW

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test Graph 11n20 TX ANT1 2412 MCS0 OBW



Test_Graph_11n20_TX_ANT1_2472_MCS0_OBW

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

5.4 Adaptivity(non-FHSS)

The method of adaptivity is using LBT based on LBE.


Adaptive non-FHSS using LBT is a mechanism by which non-FHSS adaptive equipment avoids transmissions in a channel in the presence of an interfering signal in that channel. This mechanism shall operate as intended in the presence of an unwanted signal on frequencies other than those of the operating band.

Test Limit

- The Channel Occupancy Time shall be less than 13ms.
- If implemented, Short Control Signalling Transmissions of adaptive equipment using wide band modulations other than FHSS shall have a maximum duty cycle of 10 % within an observation period of 50 ms.
- For power levels less than 20 dBm e.i.r.p., the CCA threshold level (TL) may be relaxed to:
- $TL = -70 \text{ dBm/MHz} + 10 \times \log_{10} (100\text{mW} / P_{out})$ (P_{out} in mW e.i.r.p.)
- An unwanted CW signal as defined in the below table.

Wanted signal mean power from companion device	Unwanted signal frequency (MHz)	Unwanted signal power (dBm)
sufficient to maintain the link (see note 2)	2 395 or 2 488,5 (see note 1)	-35 (see note 3)
NOTE 1: The highest frequency shall be used for testing operating channels within the range 2 400 MHz to 2 442 MHz, while the lowest frequency shall be used for testing operating channels within the range 2 442 MHz to 2 483,5 MHz. See clause 5.4.6.1. NOTE 2: A typical conducted value which can be used in most cases is -50 dBm/MHz. NOTE 3: The level specified is the level at the UUT receiver input assuming a 0 dBi antenna assembly gain. In case of conducted measurements, this level has to be corrected for the (in-band) antenna assembly gain (G). In case of radiated measurements, this level is equivalent to a power flux density (PFD) in front of the UUT antenna.		

Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Procedure

- 1) The EUT connect to a companion device during the test. Adjust the received signal level at the EUT to the value of -50dBm/MHz.
- 2) the analyzer shall be set as below: RBW>=Occupied Channel Bandwidth (if the analyser does not support this setting, the highest available setting shall be used) and VBW>=3×RBW.
- 3) Configure the EUT for normal transmission with a sufficiently high payload to allow demonstration of compliance of the adaptive mechanism on the channel being tested.
- 4) Adding the interference signal and verification of reaction to the interference signal.
- 5) Adding the unwanted signal and verification of reaction to the unwanted signal.
- 6) Removing the interference and unwanted signal.




Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Remark	The 802.11b mode is the worst case because the threshold level is the lowest.		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

IEEE802.11 b Low Channel	
Threshold Level (dBm/MHz)	-67.55
Blocking Interference Level (dBm)	-32.91
Max COT Time (ms)	12.292ms
Minimum Idle Time (ms)	0.279ms
Duty Cycle (%) after adding the interference signal 50ms	0.00
Duty Cycle (%) after adding the blocking signal with the interfering signal 50ms	0.00
Verdict	Pass

Max COT Time and Minimum Idle time






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Adding the interference signal (Green line) and the unwanted signal (Red line)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Adding the interference signal (Green line) and the unwanted signal (Red line)



Note: When removal of the interference and blocking signal the UUT will be transmitting again on this channel.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

5.5 Transmitter Unwanted Emissions in the Out-of-Band Domain

In the present document, transmitter unwanted emissions in the out-of-band domain are emissions when the equipment is in Transmit mode, on frequencies immediately outside the allocated band, but excluding unwanted emissions in the spurious domain.

Test Limit

The transmitter unwanted emissions in the out-of-band domain shall not exceed the values provided by the mask in figure 3.





Figure 3: Transmit mask

Test Setup



Remarks:

EUT was direct connected to test equipment through coupling device.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Procedure

- 1) The spectrum analyzer shall be used the following settings:
 - ◆ Centre Frequency: 2484MHz
 - ◆ Resolution BW: 1MHz; Video BW: 3MHz; Span: 0Hz; Detector: RMS
 - ◆ Trace mode: Max Hold; Sweep Points: 5000
- 2) Segment 2 483.5 MHz to 2 483.5 MHz + BW
 - ◆ Adjust the trigger level to select the transmissions with the highest power level.
 - ◆ Increase the center frequency in steps of 1 MHz and repeat this measurement for every 1 MHz segment within the range 2 483.5 MHz to 2 483.5 MHz + BW.
- 3) Segment 2 483.5 MHz + BW to 2 483.5 MHz + 2BW
 - ◆ Change the center frequency of the analyzer to 2 484 MHz + BW and perform the measurement for the first 1 MHz segment within range 2 483.5 MHz + BW to 2 483.5 MHz + 2BW. Increase the center frequency in 1 MHz steps and repeat the measurements to cover this whole range. The center frequency of the last 1 MHz segment shall be set to 2 483,5 MHz + 2 BW – 0.5MHz.
- 4) Segment 2 400 MHz - BW to 2 400 MHz
 - ◆ Change the center frequency of the analyzer to 2 399.5 MHz and perform the measurement for the first 1 MHz segment within range 2 400 MHz - BW to 2 400 MHz Reduce the center frequency in 1 MHz steps and repeat the measurements to cover this whole range. The center frequency of the last 1 MHz segment shall be set to 2 400 MHz - 2BW + 0.5MHz.
- 5) Segment 2 400 MHz - 2BW to 2 400 MHz - BW
 - ◆ Change the center frequency of the analyzer to 2 399,5 MHz - BW and perform the measurement for the first 1 MHz segment within range 2 400 MHz - 2BW to 2 400 MHz - BW. Reduce the center frequency in 1 MHz steps and repeat the measurements to cover this whole range. The center frequency of the last 1 MHz segment shall be set to 2 400 MHz - 2BW + 0.5MHz.
- 6) The cable loss and attenuator factor shall be considered to the test result.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Remark	802.11b mode is the worst case because the power is the worst.		

Test Data of OOB Emissions				
Test Mode	Frequency [MHz]	Level [dBm]	Limit [dBm]	Verdict
11b_TX_2412_1Mbps	2399.5	-29.58	-10	Pass
11b_TX_2412_1Mbps	2398.5	-28.08	-10	Pass
11b_TX_2412_1Mbps	2397.5	-29.14	-10	Pass
11b_TX_2412_1Mbps	2396.5	-30.15	-10	Pass
11b_TX_2412_1Mbps	2395.5	-32.53	-10	Pass
11b_TX_2412_1Mbps	2394.5	-33.19	-10	Pass
11b_TX_2412_1Mbps	2393.5	-36.49	-10	Pass
11b_TX_2412_1Mbps	2392.5	-39.66	-10	Pass
11b_TX_2412_1Mbps	2391.5	-42.82	-10	Pass
11b_TX_2412_1Mbps	2390.5	-38.98	-10	Pass
11b_TX_2412_1Mbps	2389.5	-45.01	-10	Pass
11b_TX_2412_1Mbps	2388.5	-44.65	-10	Pass
11b_TX_2412_1Mbps	2387.5	-43.86	-10	Pass
11b_TX_2412_1Mbps	2386.5	-43.02	-10	Pass
11b_TX_2412_1Mbps	2385.5	-39.61	-10	Pass
11b_TX_2412_1Mbps	2385.409	-38.85	-10	Pass
11b_TX_2412_1Mbps	2384.409	-44.0	-20	Pass
11b_TX_2412_1Mbps	2383.409	-38.61	-20	Pass
11b_TX_2412_1Mbps	2382.409	-40.43	-20	Pass
11b_TX_2412_1Mbps	2381.409	-46.14	-20	Pass
11b_TX_2412_1Mbps	2380.409	-39.73	-20	Pass
11b_TX_2412_1Mbps	2379.409	-46.66	-20	Pass
11b_TX_2412_1Mbps	2378.409	-47.73	-20	Pass
11b_TX_2412_1Mbps	2377.409	-47.81	-20	Pass
11b_TX_2412_1Mbps	2376.409	-47.24	-20	Pass
11b_TX_2412_1Mbps	2375.409	-47.36	-20	Pass
11b_TX_2412_1Mbps	2374.409	-46.7	-20	Pass
11b_TX_2412_1Mbps	2373.409	-47.36	-20	Pass
11b_TX_2412_1Mbps	2372.409	-46.98	-20	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

11b_TX_2412_1Mbps	2371.409	-47.75	-20	Pass
11b_TX_2412_1Mbps	2370.409	-47.91	-20	Pass
11b_TX_2412_1Mbps	2370.318	-47.91	-20	Pass
11b_TX_2412_1Mbps	2484	-51.49	-10	Pass
11b_TX_2412_1Mbps	2485	-51.6	-10	Pass
11b_TX_2412_1Mbps	2486	-51.69	-10	Pass
11b_TX_2412_1Mbps	2487	-51.81	-10	Pass
11b_TX_2412_1Mbps	2488	-51.59	-10	Pass
11b_TX_2412_1Mbps	2489	-51.36	-10	Pass
11b_TX_2412_1Mbps	2490	-51.64	-10	Pass
11b_TX_2412_1Mbps	2491	-51.74	-10	Pass
11b_TX_2412_1Mbps	2492	-51.14	-10	Pass
11b_TX_2412_1Mbps	2493	-51.19	-10	Pass
11b_TX_2412_1Mbps	2494	-45.56	-10	Pass
11b_TX_2412_1Mbps	2495	-50.44	-10	Pass
11b_TX_2412_1Mbps	2496	-50.84	-10	Pass
11b_TX_2412_1Mbps	2497	-51.97	-10	Pass
11b_TX_2412_1Mbps	2498	-48.76	-10	Pass
11b_TX_2412_1Mbps	2498.091	-45.37	-10	Pass
11b_TX_2412_1Mbps	2499.091	-47.83	-20	Pass
11b_TX_2412_1Mbps	2500.091	-43.99	-20	Pass
11b_TX_2412_1Mbps	2501.091	-43.33	-20	Pass
11b_TX_2412_1Mbps	2502.091	-49.86	-20	Pass
11b_TX_2412_1Mbps	2503.091	-47.01	-20	Pass
11b_TX_2412_1Mbps	2504.091	-52.37	-20	Pass
11b_TX_2412_1Mbps	2505.091	-52.11	-20	Pass
11b_TX_2412_1Mbps	2506.091	-47.4	-20	Pass
11b_TX_2412_1Mbps	2507.091	-52.41	-20	Pass
11b_TX_2412_1Mbps	2508.091	-47.12	-20	Pass
11b_TX_2412_1Mbps	2509.091	-49.54	-20	Pass
11b_TX_2412_1Mbps	2510.091	-47.74	-20	Pass
11b_TX_2412_1Mbps	2511.091	-49.04	-20	Pass
11b_TX_2412_1Mbps	2512.091	-50.25	-20	Pass
11b_TX_2412_1Mbps	2513.091	-49.42	-20	Pass
11b_TX_2412_1Mbps	2513.182	-52.76	-20	Pass
11b_TX_2472_1Mbps	2399.5	-50.24	-10	Pass
11b_TX_2472_1Mbps	2398.5	-50.86	-10	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

11b_TX_2472_1Mbps	2397.5	-50.36	-10	Pass
11b_TX_2472_1Mbps	2396.5	-51.23	-10	Pass
11b_TX_2472_1Mbps	2395.5	-51.24	-10	Pass
11b_TX_2472_1Mbps	2394.5	-50.69	-10	Pass
11b_TX_2472_1Mbps	2393.5	-51.26	-10	Pass
11b_TX_2472_1Mbps	2392.5	-50.53	-10	Pass
11b_TX_2472_1Mbps	2391.5	-50.51	-10	Pass
11b_TX_2472_1Mbps	2390.5	-50.83	-10	Pass
11b_TX_2472_1Mbps	2389.5	-50.69	-10	Pass
11b_TX_2472_1Mbps	2388.5	-50.39	-10	Pass
11b_TX_2472_1Mbps	2387.5	-50.87	-10	Pass
11b_TX_2472_1Mbps	2386.5	-50.84	-10	Pass
11b_TX_2472_1Mbps	2385.659	-51.49	-10	Pass
11b_TX_2472_1Mbps	2384.659	-50.6	-20	Pass
11b_TX_2472_1Mbps	2383.659	-51.33	-20	Pass
11b_TX_2472_1Mbps	2382.659	-49.01	-20	Pass
11b_TX_2472_1Mbps	2381.659	-51.18	-20	Pass
11b_TX_2472_1Mbps	2380.659	-51.62	-20	Pass
11b_TX_2472_1Mbps	2379.659	-51.29	-20	Pass
11b_TX_2472_1Mbps	2378.659	-51.5	-20	Pass
11b_TX_2472_1Mbps	2377.659	-51.61	-20	Pass
11b_TX_2472_1Mbps	2376.659	-51.84	-20	Pass
11b_TX_2472_1Mbps	2375.659	-50.69	-20	Pass
11b_TX_2472_1Mbps	2374.659	-51.01	-20	Pass
11b_TX_2472_1Mbps	2373.659	-51.44	-20	Pass
11b_TX_2472_1Mbps	2372.659	-51.83	-20	Pass
11b_TX_2472_1Mbps	2371.659	-51.61	-20	Pass
11b_TX_2472_1Mbps	2370.818	-51.76	-20	Pass
11b_TX_2472_1Mbps	2484	-36.61	-10	Pass
11b_TX_2472_1Mbps	2485	-34.42	-10	Pass
11b_TX_2472_1Mbps	2486	-33.09	-10	Pass
11b_TX_2472_1Mbps	2487	-33.07	-10	Pass
11b_TX_2472_1Mbps	2488	-35.61	-10	Pass
11b_TX_2472_1Mbps	2489	-36.65	-10	Pass
11b_TX_2472_1Mbps	2490	-37.59	-10	Pass
11b_TX_2472_1Mbps	2491	-41.2	-10	Pass
11b_TX_2472_1Mbps	2492	-43.75	-10	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

11b_TX_2472_1Mbps	2493	-45.26	-10	Pass
11b_TX_2472_1Mbps	2494	-46.5	-10	Pass
11b_TX_2472_1Mbps	2495	-45.75	-10	Pass
11b_TX_2472_1Mbps	2496	-46.15	-10	Pass
11b_TX_2472_1Mbps	2497	-47.26	-10	Pass
11b_TX_2472_1Mbps	2497.841	-47.78	-10	Pass
11b_TX_2472_1Mbps	2498.841	-47.79	-20	Pass
11b_TX_2472_1Mbps	2499.841	-47.35	-20	Pass
11b_TX_2472_1Mbps	2500.841	-48.41	-20	Pass
11b_TX_2472_1Mbps	2501.841	-49.11	-20	Pass
11b_TX_2472_1Mbps	2502.841	-49.47	-20	Pass
11b_TX_2472_1Mbps	2503.841	-48.89	-20	Pass
11b_TX_2472_1Mbps	2504.841	-49.43	-20	Pass
11b_TX_2472_1Mbps	2505.841	-50.29	-20	Pass
11b_TX_2472_1Mbps	2506.841	-50.56	-20	Pass
11b_TX_2472_1Mbps	2507.841	-50.17	-20	Pass
11b_TX_2472_1Mbps	2508.841	-49.14	-20	Pass
11b_TX_2472_1Mbps	2509.841	-50.77	-20	Pass
11b_TX_2472_1Mbps	2510.841	-50.78	-20	Pass
11b_TX_2472_1Mbps	2511.841	-50.38	-20	Pass
11b_TX_2472_1Mbps	2512.682	-50.82	-20	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Graphs of OOB Emissions

Transmitter unwanted emissions in the out-of-band domain




Test_Graph_11b_TX_ANT1_2412_1Mbps_OOB_L

Transmitter unwanted emissions in the out-of-band domain



Test_Graph_11b_TX_ANT1_2412_1Mbps_OOB_R

Transmitter unwanted emissions in the out-of-band domain




Test_Graph_11b_TX_ANT1_2472_1Mbps_OOB_L

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Test_Graph_11b_TX_ANT1_2472_1Mbps_OOB_R

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5.6 Transmitter Unwanted Emissions in the Spurious Domain

In the present document, transmitter unwanted emissions in the spurious domain are emissions outside the allocated band and outside the Out-of-band Domain as indicated in figure 3 when the equipment is in Transmit mode.


Test Limit

The transmitter unwanted emissions in the spurious domain shall not exceed the values.

Frequency Range	Maximum Power	Bandwidth
30 MHz to 47 MHz	-36 dBm	100 kHz
47 MHz to 74 MHz	-54 dBm	100 kHz
74 MHz to 87,5 MHz	-36 dBm	100 kHz
87,5 MHz to 118 MHz	-54 dBm	100 kHz
118 MHz to 174 MHz	-36 dBm	100 kHz
174 MHz to 230 MHz	-54 dBm	100 kHz
230 MHz to 470 MHz	-36 dBm	100 kHz
470 MHz to 694 MHz	-54 dBm	100 kHz
694 MHz to 1 GHz	-36 dBm	100 kHz
1 GHz to 12,75 GHz	-30 dBm	1 MHz

Test Setup

☒ **Conducted Measurement Method:**





Remarks:

EUT was direct connected to test equipment through coupling device.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

☒ Radiated Measurement Method:



Radiated Emission Test Set-Up Frequency 30 MHz ~ 1 GHz



Radiated Emission Test Set-Up Frequency Above 1 GHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Procedure

- 1) The emissions over the range 30 MHz to 1 000 MHz shall be identified.
- 2) Spectrum analyzer settings:
 - Resolution bandwidth: 100 kHz
 - Video bandwidth: 300 kHz
 - Detector mode: Peak
 - Sweep Points: ≥19 400
 - Trace Mode: Max Hold
 - Allow the trace to stabilize. Any emissions identified during the sweeps above and that fall within the 6 dB range below the applicable limit or above, shall be individually measured using RMS detector and compared to the limits.
- 3) The emissions over the range 1 GHz to 12,75 GHz shall be identified.
 - Resolution bandwidth: 1 MHz
 - Video bandwidth: 3 MHz
 - Detector mode: Peak
 - Trace Mode: Max Hold
 - Sweep Points: ≥23 500
 - Allow the trace to stabilize. Any emissions identified during the sweeps above and that fall within the 6 dB range below the applicable limit or above, shall be individually measured using RMS detector and compared to the limits.
- 4) For radiated method, the applicable measurement procedures as described in the EN 300 328 V2.2.2 annex C.2 and C.4 are used.

Test Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

☒ **Conducted Measurement Method:**


Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Remark	802.11b mode is the worst case because the power is the worst.		

Test Data of Transmitter Spurious Emissions				
Test Mode	Frequency [MHz]	Level [dBm]	Limit [dBm]	Verdict
11b_TX_2412_1Mbps	495.001	-66.87	-54.00	Pass
11b_TX_2412_1Mbps	2254.55	-45.1	-30.00	Pass
11b_TX_2472_1Mbps	825.524	-66.75	-36.00	Pass
11b_TX_2472_1Mbps	6324.886	-46.2	-30.00	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Graphs of Transmitter Spurious Emissions

Transmitter unwanted emissions in the spurious domain



Test_Graph_11b_TX_ANT1_2412_1Mbps_TX

Transmitter unwanted emissions in the spurious domain



Test_Graph_11b_TX_ANT1_2472_1Mbps_TX

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

☒ **Radiated Measurement Method:**

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Worst Mode	802.11b_TX_2412_1Mbps		
Verdict	Pass		

■ Transmitter Spurious Emission below 1GHz (30MHz-1GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
86.31	32.23	-62.05	0.04	0.84	-61.25	-36.00	25.25
162.87	27.44	-66.08	0.06	1.36	-64.78	-36.00	28.78
354.62	31.28	-67.57	0.25	6.02	-61.80	-36.00	25.80
425.34	27.88	-72.38	0.33	7.00	-65.71	-36.00	29.71
630.87	29.33	-71.54	0.52	7.30	-64.75	-54.00	10.75
758.54	27.20	-71.84	0.61	6.50	-65.95	-36.00	29.95
Other (30-1000)	--	--	--	--	--	-36.00/-54.00	--
Antenna Polarity: Horizontal							
97.52	31.30	-64.26	0.04	1.60	-62.70	-54.00	8.70
156.96	27.72	-66.81	0.06	0.80	-66.07	-36.00	30.07
348.12	28.86	-70.47	0.24	5.54	-65.18	-36.00	29.18
430.20	27.37	-73.18	0.34	6.90	-66.62	-36.00	30.62
628.77	29.52	-70.23	0.51	7.22	-63.52	-54.00	9.52
728.83	28.44	-70.55	0.59	6.70	-64.44	-36.00	28.44
Other (30-1000)	--	--	--	--	--	-36.00/-54.00	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

■ Transmitter Spurious Emission above 1GHz (1GHz-12.75GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
4824	51.98	-48.60	2.65	9.34	-41.91	-30.00	11.91
7236	47.18	-55.18	3.13	11.32	-46.99	-30.00	16.99
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-30.00	--
Antenna Polarity: Horizontal							
4824	51.89	-47.95	2.65	9.34	-41.26	-30.00	11.26
7236	43.81	-57.51	3.13	11.32	-49.32	-30.00	19.32
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-30.00	--

Note:

1. The margins of the other spectrum are not exceeding the minimum value of margin, and this part of the results without recording in the test report.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with "--" remark, if no specific emission from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.
3. Emission Level=S.G.+ Ant.Gain- Cable Loss, Margin= Limit- Emission Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Worst Mode	802.11b_TX_2472_1Mbps		
Verdict	Pass		

■ Transmitter Spurious Emission below 1GHz (30MHz-1GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
89.62	31.80	-62.59	0.04	1.26	-61.37	-54.00	7.37
156.78	28.24	-65.71	0.06	0.80	-64.97	-36.00	28.97
356.44	30.47	-68.86	0.25	6.28	-62.83	-36.00	26.83
428.63	26.45	-72.85	0.34	6.94	-66.24	-36.00	30.24
627.40	28.11	-72.28	0.51	7.18	-65.61	-54.00	11.61
756.02	28.02	-70.83	0.61	6.40	-65.04	-36.00	29.04
Other (30-1000)	--	--	--	--	--	-36.00/-54.00	--
Antenna Polarity: Horizontal							
102.34	30.82	-64.22	0.04	1.10	-63.16	-54.00	9.16
152.06	26.64	-67.07	0.06	0.70	-66.43	-36.00	30.43
350.37	28.91	-69.62	0.25	5.50	-64.37	-36.00	28.37
434.28	27.82	-72.63	0.34	6.62	-66.36	-36.00	30.36
633.66	28.33	-72.30	0.52	7.24	-65.58	-54.00	11.58
727.40	28.53	-71.01	0.59	6.65	-64.95	-36.00	28.95
Other (30-1000)	--	--	--	--	--	-36.00/-54.00	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

■ Transmitter Spurious Emission above 1GHz (1GHz-12.75GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
4944	51.75	-48.45	2.65	9.34	-41.76	-30.00	11.76
7416	46.95	-53.52	3.13	11.32	-45.33	-30.00	15.33
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-30.00	--
Antenna Polarity: Horizontal							
4944	52.27	-47.29	2.65	9.34	-40.60	-30.00	10.60
7416	43.96	-57.51	3.13	11.32	-49.32	-30.00	19.32
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-30.00	--

Note:

1. The margins of the other spectrum are not exceeding the minimum value of margin, and this part of the results without recording in the test report.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with "--" remark, if no specific emission from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.
3. Emission Level=S.G.+ Ant.Gain- Cable Loss, Margin= Limit- Emission Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

6. ETSI EN 300 328 Requirements for Receiver

6.1 Receiver Unwanted Emissions in the Spurious Domain

Receiver spurious emissions are emissions at any frequency when the equipment is in receive mode.


Test Limit

The transmitter unwanted emissions in the spurious domain shall not exceed the values.

Frequency Range	Maximum Power	Bandwidth
30 MHz to 1 GHz	-57 dBm	100 kHz
1 GHz to 12.75 GHz	-47 dBm	1 MHz

Test Setup



☒ **Conducted Measurement Method:**





Remarks:

EUT was direct connected to test equipment through coupling device.

☒ Radiated Measurement Method:



Radiated Emission Test Set-Up Frequency 30 MHz ~ 1 GHz



Radiated Emission Test Set-Up Frequency Above 1 GHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Procedure

- 1) The emissions over the range 30 MHz to 1 000 MHz shall be identified.
- 2) Spectrum analyzer settings:
 - Resolution bandwidth: 100 kHz
 - Video bandwidth: 300 kHz
 - Detector mode: Peak
 - Sweep Points: ≥19 400
 - Trace Mode: Max Hold
 - Allow the trace to stabilize. Any emissions identified during the sweeps above and that fall within the 6 dB range below the applicable limit or above, shall be individually measured using RMS detector and compared to the limits.
- 3) The emissions over the range 1 GHz to 12,75 GHz shall be identified.
 - Resolution bandwidth: 1 MHz
 - Video bandwidth: 3 MHz
 - Detector mode: Peak
 - Trace Mode: Max Hold
 - Sweep Points: ≥23 500
 - Allow the trace to stabilize. Any emissions identified during the sweeps above and that fall within the 6 dB range below the applicable limit or above, shall be individually measured using RMS detector and compared to the limits.
- 4) For radiated method, the applicable measurement procedures as described in the EN 300 328 V2.2.2 annex C.2 and C.4 are used.

Test Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


☒ **Conducted Measurement Method:**

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Remark	802.11b mode is the worst case because the power is the worst.		


Test Data of Receiver Spurious Emissions				
Test Mode	Frequency [MHz]	Level [dBm]	Limit [dBm]	Verdict
11b_BR_2412_1Mbps	495.018	-72.1	-57.00	Pass
11b_BR_2412_1Mbps	6565.583	-59.71	-47.00	Pass
11b_BR_2472_1Mbps	494.953	-71.64	-57.00	Pass
11b_BR_2472_1Mbps	2463.658	-59.71	-47.00	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Receiver Spurious Emissions



Test_Graph_11b_RX_ANT1_2412_1Mbps_RX



Test_Graph_11b_RX_ANT1_2472_1Mbps_RX

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

☒ **Radiated Measurement Method:**

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Worst Mode	802.11b_RX_2412_1Mbps		
Verdict	Pass		

■ Receiver Spurious Emission below 1GHz (30MHz-1GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
121.26	27.42	-67.15	0.04	0.70	-66.49	-57.00	9.49
159.41	28.30	-65.67	0.06	1.10	-64.63	-57.00	7.63
358.61	29.22	-70.44	0.25	6.54	-64.15	-57.00	7.15
533.57	26.99	-73.19	0.44	6.78	-66.85	-57.00	9.85
677.94	31.76	-68.28	0.55	6.52	-62.31	-57.00	5.31
834.04	30.29	-68.94	0.66	6.58	-63.02	-57.00	6.02
Other (30-1000)	--	--	--	--	--	-57.00	--
Antenna Polarity: Horizontal							
134.53	27.26	-66.14	0.05	0.02	-66.17	-57.00	9.17
163.36	29.49	-65.67	0.06	1.44	-64.29	-57.00	7.29
340.97	30.26	-68.94	0.23	5.70	-63.47	-57.00	6.47
538.52	28.10	-71.43	0.45	7.08	-64.80	-57.00	7.80
679.19	29.25	-70.81	0.55	6.44	-64.92	-57.00	7.92
831.89	27.96	-70.12	0.66	6.37	-64.41	-57.00	7.41
Other (30-1000)	--	--	--	--	--	-57.00	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

■ Receiver Spurious Emission above 1GHz (1GHz-12.75GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
1742.78	32.26	-67.96	1.22	6.84	-62.34	-47.00	15.34
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-47.00	--
Antenna Polarity: Horizontal							
1679.98	32.10	-68.31	1.19	6.67	-62.83	-47.00	15.83
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-47.00	--

Note:

1. The margins of the other spectrum are not exceeding the minimum value of margin, and this part of the results without recording in the test report.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with "--" remark, if no specific emission from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.
3. Emission Level=S.G.+ Ant.Gain- Cable Loss, Margin= Limit- Emission Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Worst Mode	802.11b_RX_2472_1Mbps		
Verdict	Pass		

■ Receiver Spurious Emission below 1GHz (30MHz-1GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
125.43	26.02	-68.12	0.05	0.30	-67.87	-57.00	10.87
157.35	28.11	-65.03	0.06	0.90	-64.19	-57.00	7.19
357.33	28.87	-69.66	0.25	6.41	-63.50	-57.00	6.50
535.12	27.79	-71.32	0.45	6.90	-64.87	-57.00	7.87
676.44	30.04	-69.26	0.55	6.56	-63.25	-57.00	6.25
834.85	29.75	-69.64	0.66	6.58	-63.73	-57.00	6.73
Other (30-1000)	--	--	--	--	--	-57.00	--
Antenna Polarity: Horizontal							
139.65	28.32	-65.10	0.05	0.00	-65.15	-57.00	8.15
159.53	29.09	-64.87	0.06	1.10	-63.83	-57.00	6.83
343.08	29.27	-69.93	0.24	5.64	-64.52	-57.00	7.52
541.77	28.15	-72.46	0.45	7.15	-65.76	-57.00	8.76
679.02	29.38	-70.05	0.55	6.44	-64.16	-57.00	7.16
828.95	28.25	-71.68	0.66	6.40	-65.94	-57.00	8.94
Other (30-1000)	--	--	--	--	--	-57.00	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

■ Receiver Spurious Emission above 1GHz (1GHz-12.75GHz)

Frequency (MHz)	Reading Level (dBμV/m)	S.G. (dBm)	Cable Loss (dB)	Ant.Gain (dBi)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
Antenna Polarity: Vertical							
1730.96	31.87	-68.67	1.22	6.84	-63.05	-47.00	16.05
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-47.00	--
Antenna Polarity: Horizontal							
1682.49	32.12	-67.35	1.19	6.67	-61.87	-47.00	14.87
--	--	--	--	--	--	--	--
Other (1000-12750)	--	--	--	--	--	-47.00	--

Note:

1. The margins of the other spectrum are not exceeding the minimum value of margin, and this part of the results without recording in the test report.
2. Measurements above show only up to 6 maximum emissions noted, or would be lesser, with "--" remark, if no specific emission from the EUT are recorded (ie: margin>20dB from the applicable limit) and considered that's already beyond the background noise floor.
3. Emission Level=S.G.+ Ant.Gain- Cable Loss, Margin= Limit- Emission Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.2 Receiver Blocking

Receiver blocking is a measure of the ability of the equipment to receive a wanted signal on its operating channel without exceeding a given degradation due to the presence of an unwanted input signal (blocking signal) at frequencies other than those of the operating band and spurious responses.

Test Limit

☒ Receiver Blocking parameters for Receiver Category 1 equipment

Wanted signal mean power from companion device (dBm) (see notes 1 and 4)	Blocking signal frequency (MHz)	Blocking signal power (dBm) (see note 4)	Type of blocking signal
(-133 dBm + 10 × log10(OCBW)) or -68 dBm whichever is less (see note 2)	2 380 2 504	-34	CW
(-139 dBm + 10 × log10(OCBW)) or -74 dBm whichever is less (see note 3)	2 300 2 330 2 360 2 524 2 584 2 674		

NOTE 1: OCBW is in Hz.

NOTE 2: In case of radiated measurements using a companion device and the level of the wanted signal from the companion device cannot be determined, a relative test may be performed using a wanted signal up to $P_{\text{min}} + 26 \text{ dB}$ where P_{min} is the minimum level of wanted signal required to meet the minimum performance criteria as defined in clause 4.3.2.11.3 in the absence of any blocking signal.

NOTE 3: In case of radiated measurements using a companion device and the level of the wanted signal from the companion device cannot be determined, a relative test may be performed using a wanted signal up to $P_{\text{min}} + 20 \text{ dB}$ where P_{min} is the minimum level of wanted signal required to meet the minimum performance criteria as defined in clause 4.3.2.11.3 in the absence of any blocking signal.

NOTE 4: The level specified is the level at the UUT receiver input assuming a 0 dBi antenna assembly gain. In case of conducted measurements, this level has to be corrected for the (in-band) antenna assembly gain (G). In case of radiated measurements, this level is equivalent to a power flux density (PFD) in front of the UUT antenna with the UUT being configured/positioned as recorded in clause 5.4.3.2.2.

☐ Receiver Blocking parameters for Receiver Category 2 equipment

Wanted signal mean power from companion device (dBm) (see notes 1 and 3)	Blocking signal frequency (MHz)	Blocking signal power (dBm) (see note 3)	Type of blocking signal
$(-139 \text{ dBm} + 10 \times \log_{10}(\text{OCBW}) + 10 \text{ dB})$ or $(-74 \text{ dBm} + 10 \text{ dB})$ whichever is less (see note 2)	2 380 2 504 2 300 2 584	-34	CW

NOTE 1: OCBW is in Hz.

NOTE 2: In case of radiated measurements using a companion device and the level of the wanted signal from the companion device cannot be determined, a relative test may be performed using a wanted signal up to $P_{\text{min}} + 26 \text{ dB}$ where P_{min} is the minimum level of wanted signal required to meet the minimum performance criteria as defined in clause 4.3.2.11.3 in the absence of any blocking signal.

NOTE 3: The level specified is the level at the UUT receiver input assuming a 0 dBi antenna assembly gain. In case of conducted measurements, this level has to be corrected for the (in-band) antenna assembly gain (G). In case of radiated measurements, this level is equivalent to a power flux density (PFD) in front of the UUT antenna with the UUT being configured/positioned as recorded in clause 5.4.3.2.2.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

☐ Receiver Blocking parameters for Receiver Category 3 equipment


Wanted signal mean power from companion device (dBm) (see notes 1 and 3)	Blocking signal frequency (MHz)	Blocking signal power (dBm) (see note 3)	Type of blocking signal
$(-139 \text{ dBm} + 10 \times \log_{10}(\text{OCBW}) + 20 \text{ dB})$ or $(-74 \text{ dBm} + 20 \text{ dB})$ whichever is less (see note 2)	2 380 2 504 2 300 2 584	-34	CW

NOTE 1: OCBW is in Hz.

NOTE 2: In case of radiated measurements using a companion device and the level of the wanted signal from the companion device cannot be determined, a relative test may be performed using a wanted signal up to $P_{\min} + 30 \text{ dB}$ where $P_{\min}$ is the minimum level of wanted signal required to meet the minimum performance criteria as defined in clause 4.3.2.11.3 in the absence of any blocking signal.

NOTE 3: The level specified is the level at the UUT receiver input assuming a 0 dBi antenna assembly gain. In case of conducted measurements, this level has to be corrected for the (in-band) antenna assembly gain (G). In case of radiated measurements, this level is equivalent to a power flux density (PFD) in front of the UUT antenna with the UUT being configured/positioned as recorded in clause 5.4.3.2.2.

Test Setup



Test Set-up for receiver blocking

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Procedure

- For non-FHSS equipment, having more than one operating channel, the operating channels on which the testing has to be performed shall be selected as follows:
 - For testing blocking frequencies less than 2 400 MHz, the equipment shall operate on the lowest operating channel.
 - For testing blocking frequencies greater than 2 500 MHz, the equipment shall operate on the highest operating channel.
- The simplified conducted measure procedures are as follows:
 - 1) For non-FHSS equipment, the UUT shall be set to the lowest operating channel on which the blocking test has to be performed.
 - 2) The blocking signal generator is set to the first frequency as defined in the appropriate table corresponding to the receiver category and type of equipment.
 - 3) With the blocking signal generator switched off, a communication link is established between the UUT and the associated companion device using the test setup. The level of the wanted signal shall be set to the value provided in the table corresponding to the receiver category and type of equipment. This level may be measured directly at the output of the companion device and a correction is made for the coupling loss into the UUT. The actual level for the wanted signal shall be recorded in the test report.
 - 4) The blocking signal at the UUT is set to the level provided in the table corresponding to the receiver category and type of equipment. It shall be verified and recorded in the test report that the performance criteria is met.
 - 5) Repeat step 4 for each remaining combination of frequency and level for the blocking signal as provided in the table corresponding to the receiver category and type of equipment.
 - 6) Repeat step 2 to step 5 with the UUT operating at the highest operating channel.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Result

Test Temperature	20.8℃	Relative Humidity	52 %
Test Engineer	Vicky Huang	Testing Time	2024-09-23
Remark	The 802.11b mode is the worst case		

Test Data of Receiver Blocking						
Test channel	Blocking Signal Frequency (MHz)	Blocking Signal Power(dBm)	Wanted signal mean power from companion device(dBm)	Performance PER	Limit PER	Result
Low	2300	-32.91	-71.91	1.13%	10%	Pass
	2330		-71.91	0.85%		
	2360		-71.91	2.98%		
	2380		-65.91	1.75%		
High	2504		-65.91	0.36%		
	2524		-71.91	1.38%		
	2584		-71.91	0.92%		
	2674		-71.91	1.47%		


Note: The levels of the blocking signal and wanted signal have to be corrected for the (in-band) antenna assembly gain.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Appendix I: Photographs of Test Setup

Radiated Spurious Emissions Below 1GHz Test Setup



Radiated Spurious Emissions Above 1GHz Test Setup




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

RF Conducted Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC11805240901AP03

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>